Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	9	("2591769").URPN.	USPAT	OR	OFF	2007/10/29 07:58
L3	12	(("6401396") or ("2651805") or ("3171156") or ("6293050")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 07:59
L4	864	267/158,159.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 08:00
L5	825	4 not 267/160.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 08:00
L6	131	464/101.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 08:03
L8	2854	403/326,327,328,329.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 08:04
L9	2132	403/326,327,328.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 08:04
L10	1478	403/326,327.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 08:05
L11	1487	403/328,329.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 08:05
L12	1376	11 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 08:05

L13	360	248/560.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 08:05
S1	549	267/160.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 07:59
S2	3	"7269221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/25 11:33
S3	11	(trunk near lid near opening near device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/25 11:35
54	311	(resilient with hard with soft with plastic\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:05
S12	2	(("6076814") or ("5607035")).PN.	USPAT	OR	OFF	2007/10/26 07:03
S13	2	"19927179"	EPO; JPO; DERWENT	OR	OFF	2007/10/28 23:53
S14	. 0	(resilient with hard with soft with plastic\$1 with resistan\$3 with attrition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF ,	2007/10/29 00:06
S15	0	(resilient with hard with soft with plastic\$1 with attrition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:06
S16	2	(resilient with hard with soft with plastic\$1 with brak\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:07
S17		(hard with plastic\$1 with resistant with attrition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:08

			•			
S18	38	(hard with plastic\$1 with resistan\$3) same brak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:16
S19	1	(hard with core with embedded with soft\$3 with plastic) same brak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:16
S20		(hard with embedded with soft\$3 with plastic) same brak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:18
S21	5	(hard with core with embedded with soft\$3 with plastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:25
S22	· 15	((link or bridge) with softer with plastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:30
S23	207	((link or bridge) with soft\$3 with plastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:33
S24	46	S23 and (catch\$2 or clamp\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:30
S25	20	S23 same (catch\$2 or clamp\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:30
S26	0	((link or bridge) with soft\$3 with plastic with than)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:33
S27	0	((link or bridge) near softer near plastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:33

S28	15 ((link or bridge) with so plastic)	fter with US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/29 00:34
-----	---------------------------------------	---	----	-----	------------------

10/29/07 8:05:46 AM C:\Documents and Settings\mburch\My Documents\EAST\Workspaces\10532490.wsp